



Date of Preparation: 10/30/2015

Section 1: Chemical Product and Company Identification

- ▶ Product Name: **Rapid Solve**
- ▶ Product Use: Rapid Solve is a pure solvent fast evaporating cleaner that will not leave residue deposits on cleaned surfaces.
- ▶ Company Name and Address:
Custom Chemical Corporation
2320 South Pine St.
Spartanburg, SC 29302
PH-(864)595-8872
FAX-(864)595-8873

24 EMERGENCY PHONE NUMBER: 1-800-424-9300

Section 2: Hazards Identification

Potential Acute Health Effects:

Danger

Extremely flammable liquid and vapor.
May form explosive mixtures with air.
Causes skin irritation
May cause drowsiness and dizziness.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Section 3: Hazardous Components– Identity and Exposure Limits

Ingredients	CAS#	Percent	Exposure Limits
Heptane	142-82-5	93-96%	Section 8
IPA	67-63-0	3-5%	Section 8
Mint Fragrance	NA	2%	NA
All other ingredients of this product are listed on the TSCA Inventory			

Section 4: First Aid Measures

Eye Contact - Immediately flush eyes with water. Occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for atleast 10 minutes. Get medical attention.

Skin Contact - Wash off immediately. If irritation continues seek medical attention.

Inhalation - Move to well ventilated area. Seek medical attention if irritation persists.

Ingestion - Seek medical attention immediately.

Section 5: Fire Fighting Methods (Product is not combustible)

Fire fighting media and instructions— Extinguish with water spray or carbon dioxide, dry chemical powder or foam.

Unsuitable extinguishing media—Do not use water jet.

Extremely flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. This materials is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Section 6: Accidental Release Measures

Personal Precautions - See section 8.

Environmental Precautions and clean-up methods - In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean dry containers for disposal by approved methods. Use water rinse for final clean-up.

Section 7: Handling and Storage

Handling—Avoid contact with skin and eyes.

Storage—Store in a cool dry place that is well ventilated. Protect from freezing. Keep Out of Reach of Children.

Section 8: Exposure Controls and Personal Protection

Engineering Controls—Always use in a well ventilated area.

Personal Protection: B-Gloves and Safety Glasses

Eyes: Always wear safety glasses when using cleaning agent.

Hands: Always wear rubber gloves when using cleaning agent.

Respiratory:: Use cleaning agents with adequate ventilation.

Feet: No special requirements.

Body: No special requirements.

Section 9: Physical/Chemical Characteristics

Boiling Point : 209°F/Specific Gravity:1.0/Melting Point: N/A

Vapor Pressure: N/A/Vapor Density: Greater than 1.0

Solubility in Water: Complete/Evaporation Rate: Greater than 1

V.O.C.: .29/pH: N/A/ Appearance: Colorless with Mint odor

Section 10: Stability and Reactivity

Stability and Reactivity: Product is stable. Toxic levels of sulfur dioxide, carbon dioxide will occur if mixed with bleach.

Conditions of instability: Avoid all possible sources of ignition.

Incompatibility with various substances: None

Products hazardous polymerization: None

Section 11: Toxicological Information

Acute Toxicity: ORAL estimated greater than 5000 mg/kg(rat)

Section 12: Ecological Information

Acute LC50 375000 Fresh water

Section 13: Disposal Considerations

Waste Information: No special precautions.

Section 14: Transportation Information

DOT Classification: UN1206 Heptanes Hazard Class 3

Section 15: Regulatory Information

US Regulations: This product is not regulated to reporting requirements under prop. 65.

Section 16: Other Information

This SDS sheet is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product must comply with all Federal and State Laws and regulations.